

SNC-Lavalin GEM Ontario Inc. 401 Hanlan Road Vaughan, Ontario, Canada, L4L 3T1 905.851.0090 \$\text{@ 905.851,0091}

July 4, 2017

Project No. 17-1235-01

Strada Aggregates

Attention: Mr. Adriano Pilato

Subject: 19mm CERCA Stone (Recycled OPSS Granular A) X-Ray Diffraction Results

As requested, the 19mm CERCA Stone from Ajax Yard, submitted to our laboratory on June 6, 2017 underwent X-Ray Diffraction testing. The results are summarized below.

Minerals detected in the sample included: calcite, dolomite, quartz, plagioclase, K feldspar & amphibole. The quantitative amounts of these minerals are shown in the table below. Gypsum, thaumasite and/or ettringite were not detected in the sample.

| Lab# | Material | Calcite (wt %) | Dolomite (wt %) | Quartz (wt %) | Plagioclase (wt %) | K feldspar (wt %) | Amphibole (wt %) |
|------|------------------------|-------------------|--------------------|------------------|-----------------------|-------------------------|---------------------|
| 2679 | 19mm CERCA Stone | 39.3 | 16.4 | 22.8 | 18.1 | 2.8 | 0.5 |

Note:

Testing was carried out at Activation Laboratories Ltd.

Should you require any further information, please do not hesitate to contact the undersigned.

Sincerely,

SNC-Lavalin Inc.

Nick Sibilia

Project Manager